


MACGREGOR 26 X



FEATURES

- Full standing headroom inside the cabin.
- Faster under sail than any competing trailerable.
- 15 MPH under power.
- Wheel steering, controlling twin rudders or engine.
- Fully enclosed head with mirror and sink.
- Full galley, with built in stove, sink, file counter, and lots of storage.
- 48 quart Coleman ice chest in its own locker.
- Beam less than 4' for legal trailering without permits.
- Flatbed deck, with large table and excellent view, converts to a full double berth.
- Water ballast system for self-righting stability.
- Mollusks built for easy launching and beaching. Sit very low on its trailer.
- Low trailering weight: 1950 lbs.
- Launch and rig in 10 minutes. Faster than any competitor.
- Centerboard recesses completely inside the hull.
- 6'-2" long, deep cockpit, with steering seat that hinges for easy transom access.
- Slope 4 in 3 double berths. One is king size.
- Easy to tow with a conventional car.
- Anchor locker.
- Large forelock hatch.
- Optional 2 part mast can be stored inside the boat.
- Self-bailing cockpit.
- Foam flotation. Will stay afloat if damaged.
- New pulpits, stern pulpits and lifelines.



WATER BALLAST TANK



WATER BALLAST TANK

CENTERBOARD, 60" WIDE X 20"



SPECIFICATIONS

LOA	21' 10"
LWL	21'
Beam	7' 10"
Draft, hoisted up	9"
Draft, hoisted down	66"
Engine capacity	3 to 60 hp
Speed, 60 hp outboard	21 mph
Ballast	1150 lbs
Boat weight, less ballast	1950 lbs
Trailer weight	650 lbs
Sail area: Main	144 sq ft
40 (180%)	124
Main and jib	268
Crew (150%)	180
Max. height above deck	28'
Cabin headroom	6'
Fresh water Capacity	3 gallons
Berth, doubles	3
Sails	Dryde
Winches (2)	Lewmar



WATER BALLAST TANK

